

# LANDMARK<sup>®</sup> SERIES

**LUXURY & DESIGNER ROOFING SHINGLES**





# So much depends on your roof.

Landmark Series shingles are engineered to outperform ordinary roofing in every category, keeping you comfortable, your home protected, and your peace-of-mind secure.

## EXCEPTIONAL QUALITY

Our Landmark Series of high-performance shingles offers four levels of weight and thickness. The heavier the shingle, the more depth and dimension it offers. All four offer the exceptional quality of the industry's toughest fire-resistant fiber glass base embedded with our color-rich ceramic granules.

## LASTING BEAUTY

Within the Landmark Series, you get the dimensional appearance of wood-shake roofing combined with the flexibility of the industry's most robust color palette.

## PEACE OF MIND

CertainTeed's asphalt shingle warranty is truly in a class all its own. Our enhanced lifetime limited warranty protects against ANY manufacturing defect, including aesthetic defects.





# Depth of Character

## LANDMARK® TL

Dramatically thick. Classically elegant. These wood-inspired shakes offer triple lamination for rugged wear with real charisma.

- Look of hand-split cedar
- Patented 3-layer laminate
- Random tab design and unique natural shadows
- A luxury-class shingle produced at a fraction of the cost of wood shake

## LANDMARK TL COLOR PALETTE



Aged Bark



Chestnut



Country Gray



Max Def Black Walnut  
(Available in StreakFighter™ only)



Moire Black



Mountain Timber



Old Overton



Platinum



Shenandoah





Landmark Premium, shown in  
Max Def Weathered Wood

# Top Shelf

## LANDMARK<sup>®</sup> PREMIUM

A sophisticated look, brilliantly executed. Our Premium line is engineered to protect, enhance and endure for generations.

- Outperforms ordinary roofing in every category
- Two-piece laminated fiber glass-based construction
- Featuring Max Def colors for a deeper, richer mixture of surface granules

## LANDMARK PREMIUM COLOR PALETTE



Max Def Burnt Sienna



Max Def Heather Blend



Max Def Moire Black



Max Def Resawn Shake



Max Def Weathered Wood





# The Expert's Choice

## LANDMARK® PRO

A refined union of vision and value, our PRO line leads its class in optimal performance and color.

- Engineered to meet professional roofers' exacting specifications
- Available in a wide selection of eye-catching Max Def colors
- Outweighs standard laminates to provide greater protection from the elements
- Landmark Pro Silver Birch and all Landmark Pro Solaris colors are CRRC rated and Title 24 Compliant

## LANDMARK PRO COLOR PALETTE



Max Def Burnt Sienna



Max Def Georgetown Gray



Max Def Heather Blend



Max Def Moire Black



Max Def Resawn Shake



Max Def Weathered Wood



Silver Birch  
CRRC Product ID 0668-0072



Solaris Max Def Georgetown Gray  
CRRC Product ID 0668-0122



Solaris Max Def Heather Blend  
CRRC Product ID 0668-0123



Solaris Max Def Resawn Shake  
CRRC Product ID 0668-0124



Solaris Max Def Weathered Wood  
CRRC Product ID 0668-0125

See page 15 for specifications and warranty details.





Landmark, shown in Thunderstorm Gray

# A Classic Original

## LANDMARK®

Remarkable roofing made to break the mold. Landmark's originality creates a new standard for elegant endurance and exceptional color choice.



- Dual-layered construction for extra protection from the elements
- Widest array of colors in the industry
- Rated "Best Buy" by a leading consumer magazine

## LANDMARK COLOR PALETTE



Birchwood  
CRRC Product ID 0668-0084



Burnt Sienna




Georgetown Gray



Heather Blend



Hunter Green



Mist White  
CRRC Product ID 0668-0071



Moire Black



Mojave Tan  
CRRC Product ID 0668-0115



Painted Desert



Resawn Shake



Silver Birch  
CRRC Product ID 0668-0072



Sunrise Cedar



Terra Cotta



Thunderstorm Gray



Weathered Wood

See page 16 for specifications and warranty details.





# A Bright Future

## LANDMARK SOLARIS®

CRRC rated and Title 24 compliant, the Landmark Solaris line's advanced roofing granules reflect solar energy for resilient, energy efficient roofing without stylistic compromise.

### GOOD

Landmark Solaris

### BETTER

Landmark Solaris Gold

### BEST

Landmark Solaris Platinum  
with an industry-leading solar  
reflectance value of 40%



## LANDMARK SOLARIS COLOR PALETTE

### Landmark Solaris



Aged Cedar  
CRRC Product ID 0668-0055



Crystal Gray  
CRRC Product ID 0668-0058



Dusky Clay  
CRRC Product ID 0668-0057



Georgetown Gray  
CRRC Product ID 0668-0116



Heather Blend  
CRRC Product ID 0668-0117



Resawn Shake  
CRRC Product ID 0668-0118



Weathered Wood  
CRRC Product ID 0668-0119

### Landmark Solaris Gold




Max Def Resawn Shake  
CRRC Product ID 0668-0051



Max Def Weathered Wood  
CRRC Product ID 0668-0050


### Landmark Solaris Platinum



Coastal Tan  
CRRC Product ID 0668-0079



Santa Fe  
CRRC Product ID 0668-0080



Sierra Buff  
CRRC Product ID 0668-0078

See page 16 for specifications  
and warranty details.



# Strength with Style

## LANDMARK® TL

- Triple-layer, high performance
- 305 lbs. per square
- Lifetime limited warranty

## LANDMARK® PREMIUM

- Dual-layer, high performance
- 300 lbs. per square
- Max Def color palette
- Lifetime limited warranty

## LANDMARK® PRO

- Dual-layer, high performance
- 270 lbs. per square
- Max Def color palette
- Lifetime limited warranty

## LANDMARK®

- Dual-layer durability
- 229 lbs. per square
- Lifetime limited warranty

## LANDMARK SOLARIS®

- Dual-layer durability
- 229/250 lbs. per square
- Lifetime limited warranty
- Solar Reflectant



## LANDMARK TL

### SPECIFICATIONS

- Three-piece laminated fiber glass-based construction
- Rustic appearance of hand-split wood shakes
- 305 lbs. per square

*For U.S. building code compliance, see product specification sheets.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5


#### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

#### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

### WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications
- 15-year StreakFighter® algae-resistance warranty (where available) 
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

*See actual warranty for specific details and limitations.*



## LANDMARK PREMIUM

### SPECIFICATIONS

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 300 lbs. per square

*For U.S. building code compliance, see product specification sheets.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

#### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

#### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

### WARRANTY


- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

*See actual warranty for specific details and limitations.*



## LANDMARK PRO & LANDMARK PRO SOLARIS

### SPECIFICATIONS

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 270 lbs. per square
- Title 24 compliant (Select colors) 

*For U.S. building code compliance, see product specification sheets.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

#### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

#### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

*Landmark Pro Silver Birch is an ENERGY STAR rated product and may qualify for a federal tax credit.*

### WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

*See actual warranty for specific details and limitations.*





# LANDMARK

## SPECIFICATIONS

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 229 lbs. per square
- Title 24 compliant (Select colors)



For U.S. building code compliance, see product specification sheets.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

Landmark Silver Birch and Mist White are ENERGY STAR rated products and may qualify for a federal tax credit.

## WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

See actual warranty for specific details and limitations.



# LANDMARK SOLARIS

## SPECIFICATIONS

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 229/250 lbs. per square
- Title 24 compliant
- Meets ENERGY STAR requirements (Select colors)



For U.S. building code compliance, see product specification sheets.

Landmark Solaris Crystal Gray, Landmark Solaris Gold Max Def Weathered Wood, Landmark Solaris Platinum Coastal Tan, Santa Fe and Sierra Buff are ENERGY STAR rated products and may qualify for a federal tax credit.

## WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Impact Resistant version available (Max Def Weathered Wood only)



See actual warranty for specific details and limitations.

### Landmark Solaris Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data

Product	Color	CRRC Rated Product Directory						Meets California Title 24*	Energy Star Certified?
		Solar Reflectance		Thermal Emittance		Solar Reflective Index			
		Initial	Aged	Initial	Aged	Initial	Aged		
Landmark Solaris®	Aged Cedar	0.26	0.24	0.92	0.90	28	24	YES	NO
Landmark Solaris®	Crystal Gray	0.27	0.26	0.92	0.90	29	27	YES	YES
Landmark Solaris®	Dusky Clay	0.26	0.23	0.93	0.90	28	23	YES	NO
Landmark Solaris®	Georgetown Gray	0.20	pending	0.91	pending	19	pending	YES*	NO
Landmark Solaris®	Heather Blend	0.20	pending	0.91	pending	19	pending	YES*	NO
Landmark Solaris®	Resawn Shake	0.19	pending	0.92	pending	19	pending	YES*	NO
Landmark Solaris®	Weathered Wood	0.20	pending	0.91	pending	19	pending	YES*	NO
Landmark Solaris® Gold	Max Def Resawn Shake	0.26	0.25	0.88	0.90	26	25	YES	YES
Landmark Solaris® Gold	Max Def Weathered Wood	0.25	0.24	0.90	0.89	25	24	YES	YES
Landmark Solaris® Platinum	Coastal Tan	0.40	0.36	0.91	0.90	45	40	YES	YES
Landmark Solaris® Platinum	Santa Fe	0.40	0.35	0.90	0.91	45	39	YES	YES
Landmark Solaris® Platinum	Sierra Buff	0.41	0.37	0.92	0.90	47	41	YES	YES

\* New products without aged solar reflectance values comply using the equation provided in Section 110.8.1.2 of California Title 24, Part 6



Landmark, shown in Georgetown Gray

You know it when you see it.

It's not just a roof. It's a Landmark.

Quality. Durability. Style. Color.

When you select a roof for your home, there's a lot to consider.

That's when a roof becomes more than just a roof. The same way a home is more than just a house.

You want the best for your home and everything in it.

So why guess, when you can be Certain?







## Integrity Roof System™

Integrity is built from the bottom up. Layer-on-layer, only CertainTeed provides the peace of mind that comes with the best components performing together for peak efficiency.



### 1. Waterproof Underlayment

Waterproofing shingle underlayment prevents leaks from wind-driven rain and ice dams

### 2. Water-Resistant Underlayment

High-performance underlayment provides a water-resistant layer over the roof deck and a secondary barrier against leaks

### 3. Starter Shingles

Perfect starts every time and designed to work in tandem with the roof shingles above

### 4. Roof Shingles

Choose the best, covered by the strongest warranty in the business

### 5. Hip & Ridge Caps

Perfect finish for hip and ridge lines, complementing all CertainTeed shingles

### 6. Roof Ventilation

Engineered for ideal roof ventilation especially when matched with CertainTeed Intake Vents



## Add a Little Accent to Your Roof.

The visually impactful choice for capping the hips and ridges of your roof, CertainTeed's Cedar Crest® accessory shingles will complement or match any shingle in the Landmark Series. For a low-profile hip and ridge look, CertainTeed also offers Shadow Ridge® accessory shingles.

## Color Companion Products™ for Flat Roof Areas

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in eight colors that complement some of the most popular CertainTeed shingles.





# RESIDENTIAL ROOFING


The best  
formula under  
one roof.

We start with the highest-quality raw materials and add state-of-the-art technology to monitor our manufacturing process and test our finished products. The result is superior performance from beginning to end.



learn more at: [certainteed.com/roofing](https://certainteed.com/roofing)

Landmark® Series  
available in areas shown



**CertainTeed Corporation**

20 Moores Road  
Malvern, PA 19355  
[www.certainteed.com](https://www.certainteed.com)

**ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:**

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE  
GYPSUM • CEILINGS • INSULATION

Professional: 800-233-8990 Consumer: 800-782-8777